


Alinabal Motion Transfer Devices

28 Woodmont Road

Milford, CT 06460 US

Tel: 203.877.3241 • **Fax:** 203.877.3745**Email:** info@alinabalmtd.com • **Website:** www.alinabalmtd.com**Commercial Series Spherical Bearings**

COM Series is dimensionally the same as the CBA series, but features a solid outer race. This series is also available with a Teflon-lined race for a bearing with minimal clearance and extended wear.



Results 1 - 16 of 16

Item #	Ball Bore B	Outside Diameter D	Ball Width W	Housing Width H	Clamping Diameter O	Ultimate Radial Static Load Rating
COM-3-E	0.1900 in	0.5625	0.281 in	0.218	0.293	3250
COM-4-E	0.2500 in	0.6562	0.343 in	0.250	0.364	4950
COM-5-E	0.3125 in	0.7500	0.375 in	0.281	0.419	6475
COM-6-E	0.3750 in	0.8125	0.406 in	0.312	0.516	8400
COM-7-E	0.4375 in	0.9062	0.437 in	0.343	0.530	9453
COM-8-E	0.5000 in	1.0000	0.500 in	0.390	0.600	13250
COM-10-E	0.6250 in	1.1875	0.625 in	0.500	0.739	21280
COM-12-E	0.7500 in	1.4375	0.750 in	0.593	0.920	31920
COMT-3-E	0.1900 in	0.5625	0.281 in	0.218	0.293	3250
COMT-4-E	0.2500 in	0.6562	0.343 in	0.250	0.364	4950
COMT-5-E	0.3125 in	0.7500	0.375 in	0.281	0.419	6475
COMT-6-E	0.3750 in	0.8125	0.406 in	0.312	0.516	8400
COMT-7-E	0.4375 in	0.9062	0.437 in	0.343	0.530	9453
COMT-8-E	0.5000 in	1.0000	0.500 in	0.390	0.600	13250
COMT-10-E	0.6250 in	1.1875	0.625 in	0.500	0.739	21280
COMT-12-E	0.7500 in	1.4375	0.750 in	0.593	0.920	31920

Results 1 - 16 of 16